

CONCORD Interconnection Application & Service Agreement MUNICIPAL for Commercial Facilities

ELECTRIC | BROADBAND | ENERGY MANAGEMENT

Contact Information: Legal Name and address of Interconnecting Customer applicant:				
Customer Name (print):	Contact	Person, if Company	<i>7</i> :	
Address of Interconnection Facility:				
Mailing Address (if different from above	ve):			
Contact Information (phone, email):				
Alternative Contact Information (e.g	,, system installation contr	actor or coordinati	ng company)	
Name:				
Mailing Address:	City:	State:	Zip Code:	
Telephone (Day): (Ev	rening): E-N	Лаіl:		
Ownership (if different than above cust	comer):			
Facility Information: Concord Muni	cipal Light Plant (required	-on bill):		
Account #:	Meter #:			
Panel Make & Model:			# Used	
Inverter Manufacturer, Model Name, &	Number:		# Used	
Is inverter UL1741 Listed? Yes	No			
Nominal Output Power of Inverter:	(Watts) @ (Vo	olts AC) Single _	or Three Phase	
PV System Output (a): ((# of panels)*(max	power/panel (W DC))*(CEC i	nverter efficiency/1,00	00W/kW)): kW (AC)	
PV System Output (b): ((nominal power ou	atput per inverter)*(# of inverter	rs/1,000W/kW)):	kW (AC)	
Please also provide the following information	on for CMLP internal engineer	ing purposes:		
PV System Output (c): ((maximum power	output per inverter) * (# of inve	rters /1,000W/kW)):	kW (AC)	
Electrical Contractor: Name, addres	s, phone # & contact name	:		
Energy Source: Solar Other (Wind CHP etc.)			
Estimated Installation Date:				
<u>Customer Signature</u> : I hereby certify the application is true and I agree to the Se	· · ·	•	nation provided in this	
Interconnecting Customer Signature: _		Title (if Company):	Date:	
Please return this document to:	Concord Rebates c/o Energy New England 100 Foxborough Blvd #11 Foxboro, MA 02035	0 or <u>soluti</u>	ons@ene.org	

Effective 3/21/17 (over)

Documents Required for Commercial Solar Photovoltaic (PV) Panel Installation Approval Request:

- Commercial Interconnection Application (see previous page) 1)
- 2) Commercial Interconnection Application Signature Page (for CMLP Use Only) (see below on this pg)
- Interconnection Service Agreement (see following pages (pgs 3-5)) 3)
- 4) CMLP Solar PV Rebate Application (if requesting rebate)
- CMLP Solar PV Rebate Terms & Conditions (if requesting rebate) 5)
- Copy of Contract Between Commercial Entity & System Installer (if requesting rebate) 6)
- 7) Wiring Diagram
- Cut Sheets for All Equipment (ie: Solar PV Panels & Inverters) 8)

For questions, please contact: Concord Municipal Light Plant

> PO Box 1029 1175 Elm Street Concord, MA 01742 Attn: Pamela Cady pcady@concordma.gov

(978) 318-3149

• • • • • • • • • • • • • • • • • • • •	contingent upon the terms and condition, if required (Are system modifications	
Company Signature:	Title:	Date:
Approval to OPERATE Facility (For	CMLP use only)	
	ontingent upon the terms and conditions	of this Agreement and agreement
Operation of the Facility is approved co to any CMLP or customer system modi	fications, if required.	
• • • • • • • • • • • • • • • • • • • •	fications, if required.	
to any CMLP or customer system modi	fications, if required. es No) If yes, please explain be	clow.

Effective 3/21/17 page 2 of 5

Commercial Generator Interconnection – Service Agreement

These terms and conditions set forth interconnection requirements, equipment specifications, and metering arrangements for commercial customers who may choose self-generation of electric energy using photovoltaic (PV), wind, or co-generation electric generating equipment.

- 1) **Permits.** The Interconnecting Customer or his / her installation contractor must contact the Town of Concord's Building Department regarding installations to assure permits, if necessary, are obtained.
- 2) **Interconnection and Operation.** The Interconnecting Customer may operate the electricity generation equipment, henceforth defined as "Facility," and interconnect with Concord Municipal Light Plant's electrical system only after the Facility's wiring is inspected by the Town of Concord's Electrical Inspector and after approval for the interconnection has been given by an authorized Concord Municipal Light Plant (also referred to henceforth as "CMLP") employee.
- 3) **Right of Inspection.** Concord Municipal Light Plant may, upon reasonable notice and at a mutually convenient time, conduct an inspection of the Facility to ensure that all equipment has been appropriately installed and all electrical connections have been made in accordance with Concord Municipal Light Plant policy. At the Facility, CMLP representatives shall identify themselves to the Interconnecting Customer's representative, state the object of their visit, and conduct themselves in a manner that will not interfere with the construction or operation of the Facility. Concord Municipal Light Plant has the right to refuse to connect the Facility in the event of improper Facility installation or if documentation for same is incomplete.
- 4) **Safe Operation and Maintenance.** The Interconnecting Customer shall be fully responsible to operate, maintain, and repair the Facility.
- 5) Access and Control. Concord Municipal Light Plant and other emergency personnel shall have access at all times to the outside-located, unlocked disconnect switch for the Facility. CMLP will have control such that it may open or close the required meter socket bypass.
- 6) **Disconnection.** The Customer shall be required to install a manual disconnect located on the line side, within 10 feet of the meter, and outside of any buildings on the property. Concord Municipal Light Plant may temporarily disconnect the Facility for planned or emergency work on Concord Municipal Light Plant's electrical system.
- 7) **Metering.** All Facilities approved under this Agreement are required to meet the following conditions.
 - a. The Interconnecting Customer shall furnish and install a meter socket, if necessary, and wiring in accordance with Massachusetts Electrical Code.
 - b. If the customer desires net metering for systems such as PV, Wind, or Co-gen, these systems will require a meter which measures electricity flow both to the customer (delivered) and back to the CMLP system (received). The Concord Municipal Light Plant will supply and install the meter within ten business days of Concord Municipal Light Plant and Wiring Inspector authorization for Interconnection and Operation.
 - c. The generating facility must be inverter-based.
 - d. If a single-phase Customer-Generating Facility is to be connected to a transformer center tap neutral of a 240 volt service, the addition of the Customer-Generating Facility shall not create an imbalance between the two sides of the 240 volt service of more than 20% of nameplate rating of the service transformer.
 - e. If, at any time, any metering equipment is found to be inaccurate by a margin greater than that allowed under applicable criteria, rules, and standards, CMLP shall cause such metering equipment to be made accurate or replaced. The cost to repair or replace the meter shall be borne by CMLP. Meter readings for the period of inaccuracy shall be adjusted so far as the same can be reasonably ascertained; provided, however, no adjustment prior to the beginning of the preceding month shall be

Effective 3/21/17 page 3 of 5

made except by agreement of the Parties. Each Party shall comply with any reasonable request of the other concerning the sealing of meters, the presence of a representative of the other Party when the seals are broken and the tests are made, and other matters affecting the accuracy of the measurement of electricity delivered from the Facility. If either Party believes that there has been a meter failure or stoppage, it shall immediately notify the other.

8) Net Metering. All Facilities approved under this Agreement qualify for net metering, as approved by Concord Municipal Light Plant.

a. **Definition.** "Net metering" means a system of metering electricity in which CMLP credits Customer generation which migrates to the CMLP distribution system when generation is greater than consumption at the Customer location.

b. General Provisions

- i. CMLP will offer net metering to customers who generate electricity on the Customer's side of the meter if a review by CMLP determines that the amount of electricity projected to migrate to the distribution system does not exceed the capacity of the transformer serving the Interconnecting Customer, and does not adversely impact the CMLP distribution system in any other way. If the amount of electricity projected to migrate to the distribution system does exceed the capacity of the transformer, and the Customer wishes to be provided net metering, CMLP will offer the Customer the option of paying for the purchase, installation, replacement or modification of the equipment necessary to accommodate the projected flows of solar electricity to the distribution system.
- ii. This policy is intended for use at non-residential properties only.
- iii. The Customer is solely responsible for securing and complying with all local permitting processes including zoning, electrical, building inspection, and any and all other special permits that may be required.
- iv. Eligible generating sources include, but are not limited to: solar, wind, and micro-turbine units which simultaneously generate electricity and recover heat.
- v. Traditional gasoline or natural gas fired portable or permanently mounted emergency generators are explicitly excluded from this policy.
- c. **Price Credits.** The price paid by CMLP for electricity produced by the Customer-Generating Facility may vary with the type of generating facility at the discretion of CMLP. Please see our actual General Service Net Meter rates at http://www.concordnet.org/528/Rates.

9) Requirements for Inverter-Based Installations

- a. CMLP's distribution circuits generally operate with automatic re-closers, which activate following a trip without regard to whether the Facility is keeping the circuit energized. The Interconnecting Customer is responsible for protecting their equipment from being re-connected out of synch with CMLP's system.
- b. For Facilities that utilize photovoltaic (PV) technology, it is required that the system be installed in compliance with IEEE Standard 929-2000, "IEEE Recommended Practice for Utility Interface of (PV) Systems" or the applicable updated standard. The inverter shall meet the Underwriters Laboratories Inc. Standard UL 1741, "Static Inverters and Charge Controllers for Use in PV Power Systems" or the applicable updated standard. Based on the information supplied by the Interconnecting Customer, if CMLP determines the inverter is in compliance with UL 1741 or the applicable updated standard, the Interconnecting Customer's request for interconnection will be approved.
- c. For Facilities that utilize wind technology or other direct current energy sources and employ inverters for production of alternating current, the inverter shall meet the Underwriters Laboratories Inc. Standard UL 1741, "Static Inverters and Charge Controllers for Use in Photovoltaic Power Systems" or the applicable updated standard. Based on the information supplied by the Interconnecting Customer, if CMLP determines the inverter is in compliance with UL 1741, the Interconnecting Customer's request for interconnection will be approved.

Effective 3/21/17 page 4 of 5

- d. The following information must be submitted by the Interconnecting Customer for review and acceptance by CMLP prior to CMLP approving the Interconnecting Customer's request for interconnection:
 - the make, model and manufacturer's specification sheet for the inverter and solar panels
 - an electrical wiring diagram of the Facility, including interconnection & metering
- 10) **Protection Requirements.** If, due to the interconnection of the Facility, when combined with pre-existing facilities interconnected to CMLP's system, the rating of any of CMLP's equipment or the equipment of others connected to CMLP's system will be exceeded or its control function will be adversely affected, CMLP shall have the right to require the Interconnecting Customer to pay for the purchase, installation, replacement, or modification of equipment to eliminate the condition. Where such action is deemed necessary by CMLP, CMLP will, where possible, permit the Interconnecting Customer to choose among two or more options for meeting CMLP's requirements as described in this Protection Policy.
- 11) **Indemnification.** Interconnecting Customer and Concord Municipal Light Plant shall each indemnify, defend and hold the other, its officers, employees and agents (including, but not limited to, affiliates, contractors and their employees), harmless from and against all liabilities, damages, losses, penalties, claims, demands, suits and proceedings of any nature whatsoever for personal injury (including death) or property damage to unaffiliated third parties that arise out of, or are in any manner connected with, the performance of this Agreement by that party, except to the extent that such an injury or damages to unaffiliated third parties may be attributable to the negligence or willful misconduct of the party seeking indemnification.
- 12) **Limitation of Liability.** Each party's liability to the other party for any loss, cost, claim, injury, liability, or expense, including reasonable attorney's fees, relating to, or arising from, any act or omission in its performance of this Agreement, shall be limited to the amount of direct damage actually incurred. In no event shall either party be liable to the other party for any indirect, incidental, special, consequential, or punitive damages of any kind whatsoever.
- 13) **Force Majeure.** An event of Force Majeure means any act of God, labor disturbance, act of the public enemy, war, insurrection, riot, fire, storm or flood, explosion, breakage or accident to machinery or equipment, any curtailment, order, regulation or restriction imposed by governmental, military or lawfully established civilian authorities, or any other cause beyond either party's control. A Force Majeure event does not include an act of negligence or intentional wrongdoing. Neither CMLP nor the Interconnecting Customer will be considered in default as to any obligation under Interconnection Requirements if prevented from fulfilling the obligation due to an event of Force Majeure. However, a party whose performance is hindered by an event of Force Majeure shall make all reasonable efforts to perform its obligations under these Interconnection Requirements.
- 14) **Termination.** This Agreement may be terminated under the following conditions:
 - a. By Mutual Agreement. The Parties agree in writing to terminate the Agreement.
 - b. **By Interconnecting Customer.** The Interconnecting Customer may terminate this Agreement by providing the Concord Municipal Light Plant written notice at least 30 days prior to the termination.
 - c. **By the Concord Municipal Light Plant.** The Concord Municipal Light Plant may terminate this Agreement if the Facility fails to operate for any consecutive 6 month period, or if the Facility impairs the operation of the electric distribution system or service to other customers or materially impairs the local circuit and the Interconnecting Customer does not cure the impairment.
- 15) **Assignment / Transfer of Ownership of the Facility.** This Agreement shall survive the transfer of ownership of the Facility to a new owner when the new owner agrees in writing to comply with the terms of this Agreement and so notifies Concord Municipal Light Plant.

Effective 3/21/17 page 5 of 5